

Designed to Combat Infection in Medical Applications

Nordson MEDICAL offers a cost efficient needlefree swabable valve series featuring higher flow rates, low priming volumes, and a straight through design for unobstructed flow. Designed for the injection and aspiration of fluids, particularly for flushing and drainage systems, IV applications, urology, blood processing, cardiology, pharma, and disposable biopharm, the hermetic septum seal reduces the risk of biofilm formation and contamination in an industry where infection is a particular concern. These valves are available in widely-used polycarbonate and copolyester materials, and are compatible with industry standard luer syringes and connectors.

The complimentary valved male luers are designed to attach directly to tubing during set assembly. They eliminate dripping and leakage when disconnected, doing away with the need for clamps.



Features & Benefits

- Female valves have a normally closed diaphragm that opens with a luer
- Low priming volume & high flow rates
- Straight through design for unobstructed flow
- Swabable & non-swabable designs
- Transparent silicone valve options available for an easily visible fluid path
- Not made with natural rubber latex or DEHP

Specifications

Materials:

Female Valves: Polycarbonate, Copolyester, Silicone Male Valves: Polycarbonate, Polypropylene, Silicone

Sterilization:

Gamma radiation stable, EtO compatible

Compatibility:

Female valve stems and bodies are compatible with standard male luer syringes and connectors.

The NV Series products are shipped bulk, non-sterile and are single patient use medical device components requiring further processing (e.g. assembly, packaging, sterilization) before clinical use. The buyer is responsible for determining effects of processing/multiple usage on these components, appropriateness of the component in the final application, and pre/post shelf life.







NVFMLLCP

Swabable Straight Valve, Female Luer to Male Luer Lock, Copolyester



NVFY36PC

Swabable 'Y' Valve, Female Luer Y Port to 3.6 mm Tube Sockets, Polycarbonate



NVFMLPC

Bondable Valve, Female Luer to Male Luer Slip, Polycarbonate



NVF20PC

Tube End Valve, Female Luer to 2.0 mm Tube Socket, Polycarbonate



NVF37PC

Tube End Valve, Female Luer to 3.7 mm Tube Socket, Polycarbonate



NVF20VPC

20 mm Swabable Vial Cap, Female Luer to 20 mm Vial Cap, Polycarbonate



NVFMLLPC

Swabable Straight Valve, Female Luer to Male Luer Lock, Polycarbonate



NVFY401CP

Swabable 'Y' Valve, Female Luer Y Port to 4.01 mm Tube Sockets, Copolyester



NVFBGPC

Swabable Bag Valve, Female Luer to Bag Access Port, Polycarbonate



NVF25PC

Tube End Valve, Female Luer to 2.5 mm Tube Socket, Polycarbonate



NVF41PC

Tube End Valve, Female Luer to 4.1 mm Tube Socket, Polycarbonate



NVFTPC

Swabable T-Port Valve, Female Luer T-Port to 6.6 mm Tube Sockets, Polycarbonate



NVFMLL-001

Luer Activated Straight Valve, Female Luer to Male Luer Lock, Polycarbonate



NVFY401PC

Swabable 'Y'
Valve, Female Luer
Y Port to 4.01 mm
Tube Sockets,
Polycarbonate



NVFBV60PC

Swabable Break-Off Valve, Female Luer to Break Off 6.0 mm Port, Polycarbonate



NVF28PC

Tube End Valve, Female Luer to 2.8 mm Tube Socket, Polycarbonate



NVF13VPC

13 mm Swabable Vial Cap, Female Luer to 13 mm Vial Cap, Polycarbonate



NVFSCMLLPC

4-Way Lever Swabable Stopcock, Female Luer Stopcock to Male Luer Lock, Polycarbonate



NVFMLLS-001

Swabable Straight Valve, Female Luer to Male Luer Lock, Polycarbonate



NVFY42S-001

Swabable 'Y' Valve, Female Luer Y Port to 4.2 mm Bondable Sockets, Polycarbonate



NVFBV66PC

Swabable Break-Off Valve, Female Luer to Break Off 6.6 mm Port, Polycarbonate

Order Online

Save time by quickly buying online. Easily find the components you need for your application and purchase with the convenience of no dollar order minimums. Visit **nordsonmedical.com** for a full range of fluid management components.

Needlefree Swabable Valve Accessories



NVM31S-001

Valved Male Luer to .125" Barb for 3.1 mm ID Tubing, Polycarbonate



NVM41S-001

Valved Male Luer to 4.0/4.1 mm Bondable Socket, Polycarbonate

中国代理商:

UltraPure

捷阀流体技术(深圳)有限公司

② 深圳市龙岗区五和大道4012号 IOT物联网产业园一栋

- **%** +86 755 8452 8460/80
- www.gefa-ultrapure.com.cn



